

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.39

LIBRARY
DEPOSITED

★ APR 1 1946 ★

U. S. Department of Agriculture

SEEDS

for the

NURSERYMAN

AND

FORESTER

Seeds of

- Part I Fruit Stock — Nut Trees
- Part II Conifers
- Part III Deciduous Trees and Shrubs
- Part IV Seeds of Subtropical and Tropical
Plants
- Part V Hardy Herbaceous Perennials

1946

F. W. SCHUMACHER

HORTICULTURIST

JAMAICA PLAIN 30, MASS.

TERMS

Deliveries are subject to yield of crops and safe arrival of our consignments and prices subject to change.

It is not possible to have all items listed available at all times. A number of perishable seeds cannot be stored successfully and must be ordered in season. All seeds are offered subject to crop failures or short supplies.

All seeds and plants are sold without warranty, expressed or implied as to description and productiveness. Seeds should be carefully inspected upon arrival and claims for conditions made at once. We cannot consider claims after seeds have been stored or planted.

All shipments travel at buyer's risk and claims for damages in transit must be taken up with the transportation companies.

Remittances should include a fair amount for packing and postage. Bags are being charged at cost price.

NOMENCLATURE — The old method is being retained until the trade, as a body, accepts the new nomenclature as of second edition of "Standardized Plant Names," available at \$10.50 postpaid. It is a noble book and should be owned by every up-to-date gardener.

CAUTION — Seeds of horticultural varieties and hybrids, with few exceptions, cannot be expected to come true to name. They are offered here for the convenience of competent plantmen, for research and breeding work only.

CRITICAL ITEMS — The supply situation caused by war exigencies is only slowly improving. Revival of foreign trade is hampered by transportation difficulties and by requirements for domestic rehabilitation in respective countries.

U. S. A. crops in 1945 failed to an unusual extent. These conditions have caused a critical shortage in many popular seeds. Items thus affected are marked*. They will not be available for winter and spring 1946 deliveries and should be ordered from prospective 1946 crops.

A number of interesting items, as become available only occasionally, are listed without prices. Inquiries for these will be appreciated.

PACKETS — We shall be glad to supply liberally sized packets of all items listed as far as possible, and will charge 20¢ per packet unless otherwise priced.

PAYMENT — 5% Discount for cash with order; for customers of approved credit, 10 days 2%; 30 days net.

SEND IN YOUR ORDER EARLY

AMERICAN SEEDS WANTED
We buy and exchange seeds

F. W. SCHUMACHER

579 Centre Street

- - - - -

P. O. Box 131

JAMAICA PLAIN 30, MASS.

I

SEEDS OF FRUIT STOCKS, NUT TREES, ECONOMIC PLANTS

(Quantity prices upon request)

	oz.	¼ lb.	lb.
APPLE, Baccata, dry pomes65	2.00
Common, French cider crab25	.75	2.25
APRICOT, common25	.85
CHESTNUT, Oriental blight resistant, large fruited crenata type50	1.50
American x European Hybrid, medium sized, sweet nuts50	1.50
European (sativa)30	.85
CHERRY, avium40	1.25
Mahaleb		1.00	3.00
*PAWPAW20	.50	1.50
PEAR, French seed		1.35	4.00
PERSIMMON, Native30	.90
Kaki, large fruited Chinese P.45	1.25	3.75
PLUM, Americana50	1.50
Beach Plum (martima)40	1.25
Green Gage (Reine Claude)50	1.50
*Japanese (salicina-Satsuma variety)35	1.00
Myrobolan (cerasifera)55	1.50
FILBERT, American35	1.00
European (avellana)25	.75
Filbert Hybrids, large fruited garden varieties35	1.00
Purple-Leaf Filbert65	2.00
HICKORY, Bitternut (cordiformis)25
Mockernut (alba)25
Pignut (glabra)25
Shagbark (ovata)25
Shellbark (Kingnut) laciniosa30
PECAN, Large fruited, Paper Shell75
Naturals55
WALNUT, Black Walnut20
Black Walnut, New York State30
Black Walnut, from named varieties selected for size of nuts of ease of cracking; Ohio, Stabler, Ten Eyck, Thomas, separately or mixed.55
Butternut25
Butternut, New England collected30
California Black Walnut50
English (Persian)75

II

CONIFERS

	oz.	¼ lb.	lb.
ABIES amabilis45	1.50	4.50
*balsamea35	1.00	3.00
concolor, California35	1.00	3.00
*concolor, Colorado40	1.15	3.50

	oz.	¼ lb.	lb.
ABIES (continued)			
*fraseri60	1.80	5.50
grandis50	1.50	4.50
lasiocarpa50	1.50	4.50
magnifica50	1.50	4.50
magnifica shastensis50	1.50	4.50
CHAMAECYPARIS lawsoniana45	1.35	4.00
lawsoniana, from named garden varieties, blue, green and golden forms35 ¼ oz.	.85	2.50
lawsoniana, from named garden varieties, golden forms only35 ¼ oz.	.85	2.50
CUNNINGHAMIA lanceolata (sinensis)65	2.00	
CUPRESSUS arizonica35	1.00	3.00
forbesi, a rare California species, for its disease resistance preferred to Cupressus macrocarpa25 ¼ oz.	.75	2.50
lusitanica65	1.65	6.00
macnabiana50	1.60	4.75
macrocarpa50	1.50	4.50
macrocarpa, from garden specimens30 ¼ oz.	.90	2.75
sempervirens pyramidalis (stricta)50	1.50	4.50
GINKGO biloba15	.35	1.00
JUNIPERUS communis15	.40	1.25
communis depressa (prostrata)20	.50	1.50
communis montana (siberica)20	.60	1.75
horizontalis20	.65	2.00
horizontalis douglasi20	.70	2.25
occidentalis20	.50	
rigida, clean40	1.50	
scopulorum, Montana-North Dakota15	.30	.95
clean40	1.15	3.50
scopulorum, columnar type, a natural form found in isolated stands in Montana30	.75	2.25
scopulorum, natural globe type20	.50	1.50
scopulorum, seed from selected blue trees25	.60	1.75
utahensis20	.50	
virginiana20	.60	1.75
clean45	1.30	4.00
virginiana glauca25 ¼ oz.	.75	
LARIX europaea65	2.00	6.00
PICEA canadensis albertiana85	2.65	8.00
canadensis densata85	2.65	8.00
engelmanni glauca65	2.00	6.00
excelsa85	2.65	8.00
pungens65	2.00	6.00
sitchensis80	2.50	7.50
PINUS albicaulis30	.80	2.50
aristata45	1.30	4.00
attenuata25 ¼ oz.	.75	2.25
*banksiana65	2.00	6.00
*contorta70	2.15	6.50
contorta latifolia, see murrayana.			

	oz.	¼ lb.	lb.
PINUS (continued)			
coulteri40	1.15	3.50
edulis35	1.00	3.00
flexilis25	.75	2.25
jeffreyi25	1.00	3.00
lambertiana40	1.15	3.50
monophylla50	1.50	4.50
montana gallica90	2.85	8.50
montana (mugus)95	3.00	9.00
monticola65	2.00	6.00
murrayana (latifolia)65	2.00	6.00
nigra (austriaca)			
palustris35	1.00	3.00
peuce	1.20	3.50	
ponderosa, Giant Pacific Coast race—Timber strain35	1.00	3.00
ponderosa (scopulorum) Rocky Mountain race30	.80	2.50
rigida, New England30	.80	2.50
sabiniana30	.80	2.50
sylvestris			
PSEUDOTSUGA douglasi , green coast strain80	2.50	7.50
douglasi caesia55	1.60	5.00
douglasi glauca85	2.65	8.00
douglasi glauca, intensely blue dwarf strain	1.00	3.00	9.00
*SEQUOIA gigantea	1.25	3.50	
*sempervirens55	1.65	5.00
TAXODIUM distichum20	.50	1.50
TAXUS cuspidata85	2.65	8.00
cuspidata, upright (capitata)	1.00	3.00	
media, from various Hybrid forms	1.00	3.00	
media hicksi	1.00		
THUJA orientalis35	1.00	3.00
orientalis, New England seed55		
orientalis aurea conspicua45	1.25	3.75
orientalis, from pyramid specimens, New England seed25 ¼ oz.	.75	
orientalis, choice pyramid selections35 ¼ oz.	1.00	
TSUGA heterophylla80	2.50	7.50

III DECIDUOUS TREES AND SHRUBS

	pkt. 1/16 oz.	¼ oz.	oz.	¼ lb.	lb.
ACER dasycarpum (New England seed, large quantities in crop years). Spring delivery only25	.75
ginnala25	.65	2.00
glabrum20	.55	1.75
macrophyllum15	.40	1.25
negundo15	.25	.75
pennsylvanicum35	1.00	3.00
platanoides25	.75
pseudoplatanus15	.40	1.25
rubrum, New England seed, ripe in June25	.75	2.25
saccharum15	.40	1.25

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
AILANTHUS glandulosa15	.35	1.00
ALIBIZZIA julibrissin30	.85	2.50
julibrissin, rose flowered20					
ALNUS incana35	1.00	3.00
rugosa20	.50	1.50
AMELANCHIER alnifolia20	.60	1.75
*canadensis35	1.00	3.00
*grandiflora (canadensis x laevis) natural hybrid35	1.00	3.00
*laevis, Northern35	1.00	3.00
*oblongifolia (botryapium), true45	1.25	2.75
*stolonifera35	1.00	3.00
AMORPHA fruticosa15	.40	1.25
AMPELOPSIS aconitifolia65	2.00	
brevipedunculata, see heterophylla.						
heterophylla (amurensis)65	2.00	
heterophylla elegans, variegated20	.35				
quinquefolia20	.50	1.50
*tricuspidata (veitchi)50	1.50	4.50
tricuspidata, true large-leaf type (A. Veitchi robusta)...				.25	.75	
*ARALIA spinosa30	.80	2.50
ARBUTUS menziesi30	.75	2.25
unedo, clean25	.75	
ARCTOSTAPHYLOS uva ursi , New England seed20	.60	1.75
ARISTOLOCHIA tomentosa30	.80	2.50
ARONIA arbutifolia20	.50	1.50
arbutifolia brilliantissima, with shiny bright red fruit.				.35	1.00	
atropurpurea20	.50	1.50
melanocarpa20	.50	1.50
*ASIMINA trioba30	.75	2.25
AZALEA arborescens20	.25	.50			
calendulacea25	.65	2.00		
calendulacea, select grade, New England seed35	1.00	3.00		
calendulacea, red50					
*kaempferi30	.85	3.00			
*ledifolia amethystina (magnifica)50					
*mollis20	.60			
mucronulata50	2.00				
nudiflora20	.35				
obtusa kiusiana50					
pontica35	1.00				
poukhanensis35	.85	3.00			
poukhanensis, from selected compact specimens50					
rosea20	.60	2.00			
schlippenbachi25	.60	2.00		
schlippenbachi, Korean strain20	.85	3.00		
vaseyi20	.50	1.75		
viscosa20	.50			

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
AZALEA Hybrids.						
altaclarensis50	1.00				
Ghent Hybrids50	1.00				
Ghent Hybrids, yellow and orange shades50					
Ghent Hybrids, salmon shades50					
Ghent Hybrids, rose and red shades50					
Kaempferi named Hybrids and Varieties:						
Cleopatra, old rose50					
Othello, brick red50					
Mixed shades50					
obtusa arnoldiana (Amoena x kaempferi)50					
obtusa arnoldiana, Named Hybrids:						
Briarcliff, deep pink50					
Cardinalis, dark cardinal red50					
Mello-Glow, cerese pink50					
Mossiana, orchid-lavender50					
BENZOIN aestivale20	.50	1.50	
BERBERIS koreana25	.60	2.00		
*thunbergi, clean seed40	1.15	3.50		
BETULA alba (pubescens)25	.65	2.00	
alba pendula (verrucosa)25	.65	2.00	
lenta35	.75	2.25	
lutea35	.75	2.25	
*papyrifera30	.80	2.50	
*populifolia35	.75	2.25	
BIGNONIA radicans35	1.00	3.00	
BUDDLEIA japonica25					
Davidi (variabilis) from garden forms25					
CALYCANTHUS floridus20	.50	1.50	
CALLICARPA giraldi25					
CARAGANA arborescens15	.40	1.25	
CARPINUS betulus30	.80	2.50	
caroliniana20	.50	1.50	
CARYA, see Hicoria.						
CASTANEA crenata50	1.50	
dentata x sativa45	1.50	
sativa30	.85	
CATALPA bignonioides15	.40	1.25	
kaempferi (ovata)30	1.00		
speciosa20	.50	1.50	
CEANOTHUS americana30	.80	2.50	
CELASTRUS orbiculatus (articulatus)25	.65	2.00	
scandens25	.65	2.00	
*CELTIS occidentalis20	.50	1.50	
CEPHALANTHUS occidentalis15	.40	1.25	
CERCIDIPHYLLUM japonicum20	.80				
CERCIS canadensis, Southern seed25	.65	2.00	
Northern seed30	.80	2.50	
chinensis45	1.50		
occidentalis30	.80	2.50	
siliquastrum60	2.00		

	pkt.	1/8 oz.	1/4 oz.	oz.	1/4 lb.	lb.
CHIONANTHUS virginicus, clean				.35	1.00	3.00
CITRUS trifoliata				.20	.65	2.00
CLADRASTIS (Virgilia) lutea				.30	.70	2.10
CLEMATIS heracleifolia		.35		1.00		
integrifolia				.30	.80	2.50
paniculata				.65	2.00	6.00
virginiana				.50	1.50	
CLETHRA alnifolia				.25	.65	2.00
COCCULUS carolinus		.20		.50	1.50	
COLUTEA arborescens				.20	.60	1.80
*CORNUS alba sibirica				.30	.75	2.25
*alternifolia				.25	.65	2.00
amomum				.15	.25	.75
canadensis				.25	.75	2.25
florida, dried berries				.15	.30	.85
clean				.20	.50	1.50
mas, clean				.30	.80	2.50
nuttali				.20	.50	1.50
paniculata				.25	.65	2.00
sanguinea				.15	.30	1.00
stolonifera				.15	.30	1.00
stolonifera lutea				.35	1.00	3.00
*CORYLUS americana					.30	.90
avellana					.20	.50
avellana atropurpurea				.25	.65	2.00
*COTONEASTER acutifolia, dried berries				.55	.65	2.00
clean				.55	1.65	5.00
*adpressa praecox		.35		1.00		
*ambigua		.35		1.00		
*apiculata		.35		1.00		
bullata floribunda		.20		.50		
buxifolia vellaea		.35		1.00		
dielsiana (applanata)				.40	1.05	3.25
dielsiana major, preferable to type				.45	1.25	3.75
divaricata, clean				.35	1.00	3.00
foveolata		.20		.35	1.00	
francheti				.30	1.00	
horizontalis, clean		.15		.40	1.25	
horizontalis perpusilla		.35				
horizontalis prostrata, prostrate, slow growing, good rock garden plant	.35					
hupehensis		.20	.50	1.50		
integerrima		.35				
lactea (parneyi)	.15	.20		.50	1.50	4.50
lucida		.15		.45		
microphylla, clean		.20		.50		
microphylla thymifolia	.25	.35				
moupinensis, clean				.50	1.50	
multiflora		.60		1.50		

		pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
*COTONEASTER (continued)							
<i>multiflora calocarpa</i>25	.65		
<i>nitens</i>15			.25	.65		
<i>pannosa</i>15	.40		
<i>parneyi</i> , see <i>lactea</i> .							
<i>praecox</i> , see <i>adpressa</i> .							
<i>racemiflora veitchi</i>20			.60	1.75
<i>rotundifolia</i> (<i>buxifolia</i>)20	.50	
<i>salicifolia</i>25	.50		1.50	4.50
<i>zabeli</i>25			.65	2.00
<i>zabeli miniata</i> (<i>gracilis</i>)35	1.00					
CRATAEGUS , fresh berries for fall planting are available at special prices							
<i>arnoldiana</i> , clean50		1.50	4.50
<i>coccinea</i> , clean30		.80	2.50
<i>coccinoides</i> , clean30		.80	2.50
<i>cordata</i> (<i>phaenopyrum</i>), dried berries20		.50	1.50
clean35		1.00	3.00
<i>crus galli</i> , clean35		1.00	3.00
<i>douglasi</i>25		.65	2.00
<i>mollis</i> , clean30		.80	2.50
<i>nitida</i>20		.60	1.75
<i>oxyacantha</i> , English Hawthorn, two stone variety, clean30		.80	2.50
<i>oxyacantha monogyna</i> , English Hawthorn, one stone variety, clean30		.80	2.50
<i>prunifolia</i> , clean30		.80	2.50
<i>punctata</i> , clean35		1.00	3.00
<i>punctata aurea</i>20		.50	1.50
<i>submollis</i> , clean35		1.00	3.00
<i>succulenta</i>25		.65	2.00
* <i>tomentosa</i>25		.65	2.00
CYDONIA japonica45		1.40	4.25
CYTISUS albus pallidus 1/8 oz., .45	.25						
<i>alpinus</i> , see <i>Laburnum</i> .							
<i>austriacus</i>20	.50	1.50			
<i>austriacus heuffeli</i>25	.65	2.00			
<i>capitatus</i> , see <i>supinus</i> .							
<i>elongatus</i>25		.75				
<i>griesebachii</i> (dwarf <i>supinus</i>)25	.35					
<i>monspessulanus</i> (<i>candicans</i>)50	1.35			
<i>multiflorus</i>40	1.25			
<i>multiflorus White Gem</i>50	1.50			
<i>nigricans</i>25	.65	2.00			
<i>ratisbonensis</i>25		.65	2.00			
<i>scoparius</i>30	.80	2.50		
<i>scoparius</i> , seed from Cape Cod, Mass.35				
<i>scoparius strictus</i>							
<i>scoparius sulphureus</i>35	1.00	3.00		
<i>scoparius andreanus</i> Hybrids, all shades from yellow to red25		.65	2.00			
New Hybrids (<i>andreanus</i> x <i>multiflorus</i>)25	1.00					
<i>supinus</i> (<i>capitatus</i>)35		1.00	3.00		

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
* DAPHNE mezereum (rubrum) from a garden strain with deep red flowers.....	.20		.25	.75		
DENDROMECON rigidum20	.50	1.50		
DIOSPYROS kaki45	1.25	3.75
virginiana25	.85
virginiana , Northern.....			.20	.50	1.50	
DORYCNium hirsutum26	.40				
intermedium25	.40				
suffruticosum25	.40				
ELEAGNUS angustifolia10	.20	.55
clean.....				.15	.45	1.25
argentea , clean.....				.15	.45	1.25
longipes50	1.50	
umbellata20	.50	1.75
ENKIANTHUS campanulatus25	.65	2.00			
* EPIGAEA REPENS , Mayflower or Trailing Arbutus, New England seed.....	.35	1.00				
ERIOBOTRYA japonica25	.65	2.00
* EUONYMUS alatus35	1.00	3.00
* americanus25	.60	2.00
atropurpureus25	.60	2.00
bungeanus20	.50	1.50
europaeus , clean.....				.30	.85	2.50
europaeus intermedia (fructa coccineo or macrophylla) with bright red fruit.....			.20	.50		
planipes25					
radicans30	.80	2.75
* EXOCHORDA grandiflora25	.65	2.00
korolkowi (alberti).....		.35				
FRAXINUS americana20	.60
lanceolata20	.60
nigra (sambucifolia).....				.15	.35	1.00
oregona15	.45	1.25
quadrangulata20	.50	1.50
GAULTHERIA procumbens50	2.00			
GENISTA aetnensis65	2.00			
anglica30					
tinctoria20	.25	.75			
GINKGO biloba15	.35	1.00	
GLEDITSIA japonica (horrida).....			.25	.60	2.00	
sinensis20	.50	1.75	
triacanthos15	.30	.80	
triacanthos inermis15	.30	.85	
GYMNOCLADUS dioca15	.50	
* HALESIA monticola30	.85	2.50	
tetraptera15	.45	1.25	
HAMAMELIS vernalis tomentella25	.75			
* virginiana35	1.00	3.00	

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
HICORIA (<i>Carya</i>), quantities priced on request.						
<i>alba</i> (<i>tomentosa</i>)						.20
<i>cordiformis</i> (<i>amara</i>)						.25
<i>glabra</i> (<i>porcina</i>)						.25
<i>laciniosa</i>						.20
<i>ovata</i> (<i>alba</i>)						.25
<i>ovata</i> , Northern seed						.35
<i>pecan</i> (<i>olivaeformis</i>), hardy Northern						.60
HYPERICUM aureum (<i>frondosum</i>)	.50		1.50			
<i>densiflorum</i>	.50		1.50			
<i>kalmianum</i>	.50		1.50			
ILEX aquifolium , French strain, clean			.30	.80	2.50	
<i>decidua</i>			.25	.65	2.00	
<i>glabra</i>			.25	.65	2.00	
<i>monticola</i>			.30	.95	2.85	
<i>opaca</i>			.25	.65	2.00	
clean			.35	1.10	3.25	
<i>opaca</i> , from its Northern limit around Boston			.30	.90	2.75	
<i>verticillata</i>			.15	.35	1.00	
clean			.35	1.00	3.00	
<i>vomitorea</i>			.15	.45	1.25	
JUGLANS , quantities priced on request.						
<i>californica</i>						.45
<i>californica hindsii</i>						.45
<i>cinerea</i>						.25
<i>cinerea</i> , New England seed						.35
<i>nigra</i>						.25
<i>nigra</i> , from named varieties						.40
<i>regia</i>						.75
KALMIA angustifolia , clean	.25	.60	1.75			
<i>latifolia</i> , New England seed, clean		.20	.65	2.00		
<i>latifolia</i> , white	.75					
KOELREUTERIA paniculata			.30	.80	2.50	
*KOLKWITZIA amabilis , clean			.65	2.00	6.00	
LABURNUM alpinum			.45	1.25	3.75	
<i>*vossi</i>	.35					
<i>vulgare</i>			.40	1.10	3.50	
<i>watereri</i>	.35					
LAUROCERASUS caroliniana			.15	.40	1.25	
LESPEDeza formosa albiflora				.65	2.00	
LEUCOTHOE catesbaei		.20	.50			
<i>catesbaei</i> , New England seed	.20	.35	1.00			
LIGUSTRUM amurense			.15	.40	1.25	
<i>ibota</i>			.15	.35	1.00	
<i>ibota</i> , Regel variety			.20	.50	1.50	
<i>japonicum</i>			.20	.50	1.50	
<i>lucidum</i>			.20	.50	1.50	
<i>sinense</i> ("South" Privet)			.25	.65	2.00	
<i>vulgare</i> , clean			.35	1.00	3.00	

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
LIQUIDAMBAR styraciflua				.45	1.45	4.25
LIRIODENDRON tulipifera, seed as collected				.15	.25	.80
cones broken up, spindles removed				.15	.30	1.00
LONICERA alpigena			.20	.60		
korolkowi floribunda			.20	.60	1.00	
maacki				.60		
maacki podocarpa			.20	.65		
morrowi			.20	.65		
ruprechtiana			.20	.60		
tatarica				.35	1.00	3.00
LYCIUM chinense			.25	.65	2.00	
MAACKIA amurensis			.20	.50		
MACLURA pomifera				.15	.40	1.25
*MAGNOLIA acuminata				.15	.50	1.50
glaucia (virginiana)				.30	.90	2.75
grandiflora				.30	.80	2.50
soulangeana	.30					
*tripetala				.25	.65	2.00
*MAHONIA aquifolium				.35	1.00	3.00
repens				.30	.80	2.50
MALUS baccata (siberica) dry pomes				.25	.65	2.00
baccata mandshurica, dry pomes				.30	.80	2.50
coronaria, clean				.55	1.65	5.00
sargentii, dry pomes				.25	.65	2.00
theifera, dry pomes				.35	1.00	
MYRICA carolinensis				.20	.50	1.50
NANDINA domestica				.30	.80	2.50
NYSSA aquatica				.15	.40	1.25
sylvatica				.15	.40	1.25
OSTRYA virginiana				.25	.65	2.00
OXYDENDRON arboreum				.25	.60	1.75
*PAEONIA suffruticosa (arborea or moutan)		.30		1.00		
PAULOWNIA tomentosa				.35	1.00	3.00
PHELLODENDRON amurense		.25		.65	2.00	
PHILADELPHUS coronarius		.25		.65		
grandiflorus		.50		1.50		
pubescens, the most popular American Mock Orange		.35		1.00	3.00	
PHOTINIA serrulata				.50	1.40	4.25
villosa, clean				.75	2.00	
PIERIS floribunda, New England seed, clean	.20	.50		1.50		
*japonica	.20	.65		2.00		
PLATANUS occidentalis, northern					.30	1.00
orientalis					.45	1.25
PRUNUS americana, clean		.20		.50	1.50	
angustifolia, Chickasaw Plum		.25		.65	2.00	
armeniaca					.25	.85
avium, clean		.15		.40	1.25	
caroliniana, see Laurocerasus						
cerasifera, clean		.20		.50	1.50	

	pkt. $\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
PRUNUS (continued)					
<i>demissa melanocarpa</i> (<i>virginiana melanocarpa</i>), clean...			.15	.40	1.25
<i>hortulana</i> , clean.....			.35	1.00	
<i>ilicifolia</i>20	.50	1.50
<i>insititia</i> , clean.....			.30	.80	2.50
<i>lyoni</i> (<i>integrifolia</i>).....			.20	.50	1.50
<i>mahaleb</i> , clean.....			.30	1.00	3.00
<i>maritima</i> , New England seed.....			.15	.40	1.25
<i>nigra</i> , clean.....			.25	.65	2.00
<i>pennsylvanica</i>20	.55	1.75
<i>reverchoni</i> , clean.....			.35	1.00	2.50
* <i>salicina</i>15	.35	1.00
<i>serotina</i>25	.80
clean.....			.15	.40	1.25
<i>virginiana</i> , clean.....			.15	.40	1.25
PYRACANTHA coccinea20	.50	1.50
<i>coccinea lalandi</i>20	.60	1.75
<i>formosana splendens</i>15		.40	1.25	
<i>yunnanensis</i>20	.55	1.75
QUERCUS , Acorns, which are more or less perishable, can be supplied in season only. We have stated months during which orders can be accepted. We do not sell in quantities less than indicated.					
<i>alba</i> , an excellent grade of worm free New England acorns can be supplied in crop years, September 10 lbs., 3.00					
<i>bicolor</i> , New England, September-October 10 lbs., 3.50					
<i>coccinea</i> , New England, September-November 10 lbs., 4.00					
<i>macrocarpa</i> , New England, September-October 10 lbs., 3.00					
<i>palustris</i> , October-November..... 10 lbs., 2.50					
<i>phellos</i> , October-November..... 10 lbs., 3.50					
<i>rubra</i> (<i>borealis maxima</i>) Common Red Oak, hand-selected, September-October..... 10 lbs., 2.00					
<i>rubra</i> , seed from specimens with straight undivided trunks, September-October..... 10 lbs., 2.50					
<i>rubra ambigua</i> (<i>borealis</i>) Northern Red Oak, hand-selected acorns, September-October..... 10 lbs., 2.50					
<i>rubra ambigua</i> , from specimens with straight undivided trunks, September-October..... 10 lbs., 3.00					
RHAMNUS cathartica25	.65	2.00
<i>frangula</i>25	.65	2.00
RHODODENDRON carolinianum25	.75	2.25		
<i>carolinianum</i> , select New England seed.....	.35	1.00			
* <i>catawbiense</i>20	.50	2.00		
* <i>catawbiense</i> , from New England garden specimens.....	.15	1.00	3.00		
<i>catawbiense compactum</i>40				
<i>maximum</i>20	.65	2.00		
<i>maximum</i> , from select New England garden specimens....	.30	.80	2.50		
<i>mucronulatum</i>50	2.00			
<i>smirnowi</i>50				

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
RHODODENDRON HYBRIDS						
*catawbiense Hybrids, New England seed	.20	.50	1.50			
choice Hybrids, new varieties	.50	1.25				
maximum x catawbiense (wellesleyanum)	.25	.60				
*RHODOTYPOS kerrioides				.30	.80	2.50
RHUS canadensis (aromatica)				.15	.25	.75
clean				.25	.75	2.25
copallina				.15	.40	1.25
glabra					.35	1.00
trilobata, clean				.35	1.00	3.00
typhina					.30	.85
RIBES aureum			.30	1.00		
fasciculatum			.20	.65	2.00	
ROBINIA fertilis				.50	1.50	
pseudoacacia					.30	.90
pseudoacacia bessoniana				.20	.50	1.50
ROSA acicularis			.15	.50	1.50	
acicularis nipponica			.20	.55	1.75	
*blanda				.20	.50	1.50
canina				.20	.50	1.50
coriifolia froebeli (laxa)				.35	1.00	
ecae (primula)	.20		.50			
fujisanensis			.25	.75		
*hugonis, the true Father Hugo's Rose				.35	1.00	
humilis				.15	.45	1.35
laxa (Retz), the true laxa				.35	1.00	
lucida (virginiana), hips				.15	.40	1.25
clean			.20	.55	1.65	5.00
maximowicziana				.40	1.25	
*multiflora, clean				.35	1.00	3.00
nitida				.15	.50	1.50
palustis, hips				.15	.35	1.10
rubiginosa, clean				.30	.80	2.50
*rubrifolia, clean				.35	1.00	3.00
*rugosa, clean				.30	.80	2.50
*rugosa alba, clean				.35	1.00	3.00
setigera, hips				.20	.50	1.50
clean				.35	1.00	3.00
*spinosissima				.30	.80	2.50
wichuriana, clean				.50		
SAMBUCUS canadensis, clean				.20	.50	1.50
coerulea				.35	1.00	
SHEPHERDIA argentea				.30	.80	2.50
argentea, clean			.25	.75		
canadensis				.50	1.50	
SOPHORA japonica				.25	.75	2.25
SORBUS americana				.20	.55	1.75
aucuparia				.15	.40	1.25
clean			1.65	5.00		
dumosa (scopolina)				.20	.50	1.50

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
SPARTIUM junceum.....				.35	1.00	3.00
*STAPHYLEA trifolia.....				.20	.55	1.75
STYRAX americana.....				.20	.60	1.75
obassia.....				.35	1.00	3.00
SYMPHORICARPOS racemosus.....				.25	.60	2.00
vulgaris.....				.20	.40	1.25
SYRINGA josikaea rosea.....	.20			.55	1.50	
villosa, clean.....	.25			.75		
vulgaris, clean.....				.65	2.00	6.00
*vulgaris, white.....				.40	1.25	
*vulgaris, large flowered—horticultural varieties (French Hybrids).....				.50	1.50	4.50
TILIA americana (glabra).....				.20	.60	1.75
ULEX europaeus.....	.35			1.00		
ULMUS americana.....					.40	1.25
campestris.....					.65	2.00
glabra (montana).....					.65	2.00
hollandica.....					.65	2.00
pumila.....					.85	2.50
UMBELLULARIA californica.....				.25	.75	2.25
VACCINIUM corymbosum.....				.35	1.00	3.00
corymbosum, from large fruited, cultivated varieties, such as Pioneer, Rubel, Cabot.....				.50	1.65	5.00
pennsylvanicum.....				.35	1.00	3.00
*VIBURNUM acerifolium.....				.20	.65	2.00
*alnifolium.....				.20	.65	2.00
americanum.....				.30	.80	2.50
clean.....				.50	1.50	4.50
cassinoides.....				.20	.65	2.00
dentatum.....				.20	.50	1.50
dilatatum.....				.25	.65	2.00
clean.....				.40	1.25	3.75
*lantana.....				.25	.65	2.00
*lentago.....				.15	.50	1.50
clean.....				.30	.90	2.75
opulus.....				.35	1.00	3.00
clean.....				.60	1.85	5.50
prunifolium.....				.25	.65	2.00
clean.....				.40	1.25	3.75
rhytidophyllum.....				.30	.80	2.50
VITIS aestivalis.....				.30	.95	2.85
coignetiae.....				.50	1.50	
cordifolia.....				.30	.80	2.50
labrusca.....				.20	.65	2.00
rotundifolia.....				.25	.75	2.25
rupestris.....	.25			.50		
vulpina (odoratissima or riparia).....				.20	.55	1.75

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
WEIGELA (9,775 seeds per 1/16 oz.), all hardy varieties, New England seed.						
<i>amabilis</i>		1/8 oz., .70		.40		
<i>candidissima</i>		1/8 oz., .70		.40		
Garden Varieties , Eva Rathke, Feerie, Gustave Mallett or Mixture		1/8 oz., .70		.40		
<i>grandiflora</i>		1/8 oz., .70		.40		
<i>rosea</i>		1/8 oz., .70		.40		
YUCCA filamentosa20	.50	
<i>glauca</i> (<i>angustifolia</i>)25	.75	
<i>gloriosa</i>25	.75	

IV

SEEDS OF TENDER SUBTROPICAL AND TROPICAL PLANTS

(Quantities smaller than indicated cannot be supplied)

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
ABERIA see <i>Dovyalis</i> .						
ABRONIA umbellata , Sand Verbena15		.25	.65		
ABRUS precatorius , Rosary-Pea20	.45	1.50	
ACACIA armata70			
<i>baileyana</i>35	.85	3.00	
<i>cultriformis</i>50	1.40	5.00	
<i>cyanophylla</i>50			
<i>cyclops</i>45			
<i>decurrens</i>45	1.10	4.00	
<i>decurrens dealbata</i>35	1.00	3.75	
<i>decurrens mollis</i>65	1.70	6.00	
<i>farnesiana</i>25	.85	3.00	
<i>latifolia</i>40	.95	3.50	
<i>linifolia prominens</i>25	.40	.95	3.50
<i>longifolia floribunda</i>35	1.00	3.75	
<i>melanoxydon</i>40	1.25	4.50	
<i>pendula</i>	100 seeds, .35; 1,000 seeds, 2.50					
<i>podalyriaefolia</i>30	.80	2.25	7.50
<i>prominens</i> , see <i>linifolia</i> .						
<i>pycnantha</i>25	.85	3.00	
<i>saligna</i>30	.95	3.50	
<i>verticillata</i>30	.85		
ADENOCARPUS foliosus20	.35	1.00			
AGAPANTHUS umbellatus25	.60	2.00		
ALBIZZIA julibrissin30	.85	2.50	
<i>lophantha</i>30	.75	2.75	
ALOE ferox :						
100 seeds, .65; 500 seeds, 2.00; 1,000 seeds, 3.25						
<i>variegata</i> :						
100 seeds, 1.60; 500 seeds, 6.75; 1,000 seeds, 11.00						
ALSOPHILA australis , Treefern25	.60				

	pkt.	$\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
ANNONA cherimola, Cherimoya35	1.00	
ANTIGONON leptopus25	.55	1.65 5.00
ARALIA papyrifera, see Tetrapanax.						
sieboldi, see Fatsia.						
ARBUTUS menziesi20	.50	1.75
unedo50	1.75	
ARCTOSTAPHYLUS manzanita75	2.50
tomentosa75	2.50
ARECA lutescens.....100 seeds, .50; 1,000 seeds, 4.00						
ARISTOLOCHIA elegans55	1.65	5.00
ASPARAGUS (Myrsiphyllum) asparagoides or medeoloides, Similax of Florists'25	.65	1.60 6.00
plumosus nanus:						
100 seeds, .30; 250 seeds, .55; 1,000 seeds, 1.90						
sprengeri:						
100 seeds, .30; 250 seeds, .55; 1,000 seeds, 1.90						
AVOCADO, see Persea.						
BAUHINIA galpini	100 seeds,	1.75				
purpurea	100 seeds,	.75				
tomentosa, St. Thomas Tree	100 seeds,	1.00				
BEAUMONTIA grandiflora, Herald's Trumpet.....						
BIGNONIA—plants of Bignonia family here included—						
australis (Tecoma australis)	Tr. pkt.,	.25				
garrocha (Tecoma g.)20	.30	.85	3.00		
stans (Stenolobium stans)25	.35	1.10	4.00		
tweediana (Doxantha unguis-cati)20		.35	1.25		
BORONIA megastigma	Tr. pkt.,	.30				
CAESALPINIA (Poinciana) gilliesi						
spinosa75		
CALLISTEMON lanceolatus25		.60	2.00		
rigidus20		.45	1.60		
viminalis25	.35	.85	3.00		
CALLITRIS robusta, Cypress Pine20		.45	1.65		
CAMELLIA japonica						
*CARICA papaya, Papaya, seed from named cultivated varieties25		.45	1.65		
CARISSA grandiflora, Natal-Plum:						
100 seeds, .35; 500 seeds, 1.25; 1,000 seeds, 2.00						
CASSIA artemisioides25	.65	1.65	6.00		
nairobensis20	.55	1.40	5.00		
splendida40	1.00	3.50		
CASUARINA cunninghamiana60				
equisetifolia80	2.00	7.25		
stricta90				

	pkt. $\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
CEANOTHUS arboreus80		
arboreus hybridus80		
cyaneus35	1.00		
divaricatus35	.80		
integerrimus35	.90		
jepsoni35	1.00		
megacarpus35	1.00		
spinosus25	.75		
thyrsiflorus40	1.25	
CERATONIA siliqua25	.60	2.10
CESTRUM aurantiacum25				
nocturnum25				
CHAMAEROPS humilis25	.60	2.00
CHILOPSIS linearis50	1.75	5.25
CHORIZEMA illicifolium 100 seeds, .30; 1,000 seeds, 2.00					
varium					
100 seeds, .30; 1,000 seeds, 2.00					
CINNAMOMUM camphora25	.60	2.00
CISSUS (Vitis) capensis60	2.10	7.50
COCOS australis					
100 seeds, .40; 1,000 seeds, 3.25					
plumosa					
100 seeds, .50; 1,000 seeds, 4.00					
weddeliana					
100 seeds, 2.00					
1,000 seeds, 15.00					
CORDYLINE (Dracaena) australis40	1.10	4.00
indivisa35	.75	2.75
CYPHOMANDRA betacea 100 seeds, .35; 1,000 seeds, 2.50					
CYTISUS (Genista) canariensis60	2.10	
fragrans			1.00		
DATURA arborea35	1.25		
DIOSMA ericoides					
100 seeds, .35; 1,000 seeds, 1.75					
DORYANTHES palmeri					
100 seeds, 1.25					
DOVYALIS (Aberia) caffra50	1.50		
DRACAENA draco25	.65		
ERIOBOTRYA japonica25	.65	2.00
ERYTHEA edulis					
100 seeds, .40; 1,000 seeds, 3.50					
ERYTHRINA caffra					
100 seeds, 1.75					
corallodendron					
100 seeds, 1.25					
crista galli					
100 seeds, 1.25					
indica					
100 seeds, 1.25					
EUCALYPTUS amygdalina			1.25	4.00	14.00
amygdalina angustifolia (linearis)55	2.00		
bosistoana			1.60		
botryoides75		
calophylla					
100 seeds, 1.10					
citriodora85		
corynocalyx (cladocalyx)95	2.50	9.00
ficifolia					
100 seeds, .50; 1,000 seeds, 14.00					

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
EUCALYPTUS (continued)						
globulus				.70	2.25	6.75
globulus compacta				.50	1.50	
lehmanni				1.25	4.00	14.00
leucoxylon				1.00	2.75	10.00
leucoxylon rosea				.50	1.50	
longifolia				.50	1.50	
maculata				.50	1.50	
melliodora				.50	1.50	
muelleriana				.50	1.50	
polyanthemos				1.25	4.00	14.00
robusta (multiflora)				.65	2.00	6.00
rostrata (camaldulensis)				.60	1.65	6.00
rudis				.85		
saligna				.75	2.75	
sideroxylon rosea				.40	1.25	
stuartiana				.45	1.35	
tereticornis (umbellata)				.65	1.60	5.85
viminalis				.75	2.10	7.50
EUCALYPTUS , Dwarf flowering species.....Tr. Pkt. 100						
caesia, erythrocorys, erythronema, grossa, macrocarpa, nutans, stedmanni, torquata.						
EUGENIA jambos100 seeds, 1.75						
myrtifolia				1,000 seeds, 3.50		
paniculata (hookeri)				100 seeds, 2.25		
uniflora, Surinam Cherry						
FATSIA (Aralia) sieboldi.....1,000 seeds, 1.85						
FREMONTIA californica75						
mexicana				.75		
GENISTA (see also Cytisus) monosperma.....1.00						
GLAUCOTHEA (Erythea) armata:						
100 seeds, 1.00; 1,000 seeds, 8.50						
GREVILLEA banksi100 seeds, .60; 1,000 seeds, 4.00						
*robusta				1.10	2.80	10.00
thelemanniana				100 seeds, .45; 1,000 seeds, 3.75		
HAKEA laurina100 seeds, 1.00						
saligna				100 seeds, .80		
suaveolens				100 seeds, 1.00		
HARDENBERGIA monophylla :						
100 seeds, .35; 1,000 seeds, 1.75						
monophylla rosea				100 seeds, .35; 1,000 seeds, 1.75		
HESPEROYUCCA Whipplei45 1.50						
HIBISCUS sabdariffa , Roselle or Jamaica Sorrel.....						
HOLMSKIOLDIA sanguinea1.50						
JACARANDA mimosaeifolia						
500 seeds, .85; 1,000 seeds, 1.50						

	pkt. $\frac{1}{16}$ oz. $\frac{1}{4}$ oz. oz. $\frac{1}{4}$ lb. lb.			
KENTIA (Howea) belmoreana	200 seeds, 4.00; 1,000 seeds, 15.00			
forsteriana	200 seeds, 3.00; 1,000 seeds, 12.50			
LAGERSTROEMIA indica35	1.25	4.00
LANTANA camara, in varieties40	1.10	4.00
camara hybrida, dwarf60	1.65	6.00
LAURUS nobilis	500 seeds, 1.25; 1,000 seeds, 2.00			
LEONOTIS leonurus45	1.50	
LEPTOSPERMUM laevigatum45	1.50	
laevigatum compactum60	2.00	
scoparius grandiflorum	$\frac{1}{8}$ oz., .45			
LEUCADENDRON argenteum	100 seeds, 1.25			
LIGUSTRUM japonicum20	.50	1.50
lucidum25	.60	1.75
nepalense25	.65	2.00
LIPPIA (Aloysia) citriodora, Lemon Verbena55	1.75	
LYONOTHAMNUS floribundus60	2.00	
MACADAMIA ternifolia35	.85	3.00
MANDEVILLA suaveolens				
MELALEUCA armillaris45	1.50	
decussata75	2.50	
ericifolia75	2.50	
huegeli45	1.50	
hypericifolia45	1.50	
lateritia85	3.00	
leucadendron35	1.00	
nesophila45	1.50	
MELIA azaradach umbraculiformis35	1.00
METROSIDEROS tomentosa60	2.00	
MIMOSA pudica				
MUSA ENSETA30	1.00	
MYRTUS communis20	.65	
communis microphylla compacta35	1.25	
NANDINA domestica30	.80	2.50
NICOTIANA glauca (arborea)60	2.00	
OLEA europaea60	2.00
PARKINSONIA aculeata70	2.50
PASSIFLORA caerulea35	1.00	
edulis45	1.50	
manicata (Tacsonia m.)	100 seeds, .60			
mollissima (Tacsonia m.)	100 seeds, .35			
PERSEA americana, Avocado:				
	100 seeds, 2.50; 1,000 seeds, 20.00			
PHASEOLUS caracalla	100 seeds, .55			
PHOENIX, canariensis	100 seeds, .35; 1,000 seeds, 1.75			
dactylifera	100 seeds, .40; 1,000 seeds, 2.50			
reclinata	100 seeds, .65; 1,000 seeds, 3.50			
roebeleni	100 seeds, 1.25; 1,000 seeds, 8.00			

	pkt. $\frac{1}{16}$ oz.	$\frac{1}{4}$ oz.	oz.	$\frac{1}{4}$ lb.	lb.
PHORMIUM tenax25	.65		
PHOTINIA arbutifolia60	2.00
PITTOSPORUM crassifolium45	1.10	4.00
eugenoides45	1.10	4.00
nigricans75	2.50	
phillyraeoides65	2.25	
rhombifolium65	2.25	
tobira40	.95	3.50
undulatum35	.80	3.00
PLUMBAGO capensis 100 seeds, .35; 1,000 seeds, 3.00					
PRUNUS illicifolia20	.55	1.85
lyoni (integrifolia)25	.60	2.00
PSIDIUM (Guava) cattleianum, red fruit80		
cattleianum, yellow fruit80		
guajava			1.00		
PYRACANTHA crenulata75		
QUERCUS agrifolia					1.25
ilex					1.25
suber					1.00
RAPHIOLEPIS indica30	.70	2.50
umbellata (japonica)25	.60	2.25
ROYSTONEA regia, Royal Palm 100 Seeds, 1.25; 1,000 seeds, 10.00					
SCHINUS molle30	.70	2.50
terebinthifolius45	1.10	4.00
SEAFORTHIA elegans (Archonothopoenix (Loroma) cunning- hamiana) 100 seeds, .45; 1,000 seeds, 3.25					
SESBANIA (Daubentonia) grandiflora				1.00	
SOLLYA heterophylla 100 seeds, .25; 1,000 seeds, 1.65					
STERCULIA acerifolia55	1.35	5.00
discolor55	1.35	5.00
diversifolia40	.95	3.50
STRELITZIA nicolai 100 seeds, 2.00					
reginae 100 seeds, 7.50					
SWAINSONIA greyana (grandiflora): 100 seeds, .30; 1,000 seeds, 2.25					
TETRAPANAX (Aralia) papyrifera25		1.60		
THEVETIA nereifolia 100 seeds, .90; 1,000 seeds, 7.75					
THUNBERGIA gibsoni ... 100 seeds, 1.25; 1,000 seeds, 10.00					
TRACHYCARPUS (Chamaerops) excelsa45	1.50
TRISTANIA conferta75		
VERONICA andersoni	Tr. Pkt.,	.30			
elliptica (decussata)	Tr. Pkt.,	.30			
imperialis	Tr. Pkt.,	.30			
VIBURNUM tinus30	.80	2.50
WASHINGTONIA filifera40	1.40
robusta60	2.00
WIGANDIA caracasana macrophylla Tr. Pkt., .35					
YUCCA arborescens55	1.35	5.00

V

SEEDS OF HARDY HERBACEOUS PERENNIALS

	Tr.	¼	
	pkt.	oz.	oz.
ACHILLEA filipendula, Parker's Variety.....		.85	3.00
ALSTROEMERIA hybrids.....	.25	.60	
ALYSSUM saxatile compactum.....	.15	.30	1.00
saxatile, Silver Queen.....	.25	.65	2.25
ANCHUSA barrelieri.....	.35	.85	3.00
italica Dropmore, Gentian blue.....	.15	.20	.60
myosotidiflora..... ⅛ oz., 1.25	.50	2.10	7.50
ANEMONE, halleri (best of pulsatillas).....	.25	.75	2.50
pulsatilla.....	.25	.85	3.00
AQUILEGIA coerulea.....	.25	.60	2.00
flabellata.....	.45		
longissima..... 1/16 oz., 2.00	.50		
vulgaris, Colonial Strain.....	.15	.35	1.00
Longspurred Hybrids:			
Crimson Star.....	.50	2.00	
Mrs. Nicholls, large flowered, deep blue..... ⅛ oz., 1.25	.50		
Mrs. Scott Elliott's Hybrid.....	.35	1.00	3.50
Rose Queen.....	.35		
Silver Queen.....	.25	.75	
Snow Queen.....	.25	1.00	3.50
Longspurred Mixture of All Colors.....	.25	.35	3.00
New Hybrid Crimson Star x Longissima.....	1.00		
AUBRIETIA, Bloodred..... ⅛ oz., .85	.35		
Large Flowered Hybrids..... ⅛ oz. 1.00	.50		
CAMASSIA leichtlini.....	.20	.50	
CAMPANULA persicifolia—White, Blue or Mixed..... ⅛ oz., 1.00	.35		
Telham Beauty..... 1/16 oz., .65; ⅛ oz., 1.00	.40		
CARNATION Grenadin, Golden Sun, Pink, Red or Mixture.....	.50	2.50	
CASSIA marilandica.....	.25	.50	
CHRYSANTHEMUM articum Hybrid Astrid..... ⅛ oz., 1.00	.35		
korean Hybrids.....	.35		
Shasta Daisy Alaska.....	.15	.30	1.00
Conqueror.....	.15	.30	1.00
G. Marconi..... ⅛ oz., 1.50	.50		
DELPHINIUM Giant Pacific Hybrids:			
Shades of Blue, Lavender, Pastel, Violet or Mixture			
	pkt., .50; ⅛ oz., 2.00	1.00	3.50
Giant Pacific Hybrids, named series, all.....	pkt., .75; ⅛ oz., 2.50	1.25	4.00
Black Knight, deep midnight violet			
Blue Bird, clear medium blue with white bee			
Cameliard, pure lavender with white bee			
Galahad, finest double, large flowered white			
King Arthur, royal violet with white bee			
Round Table, new hybrids and shades in this group			
Summer Skies, light blue with white bee			

	Tr. pkt.	$\frac{1}{4}$ oz.	oz.
DELPHINIUM (continued)			
Belladonna Improved (Cliveden Beauty)35	.75	2.85
Bellamosum Improved35	.75	2.85
Blackmore and Langdon Hybrids35	.90	2.70
cardinale $\frac{1}{16}$ oz., .20		.35	1.25
Gold Medal Hybrids25	.50	1.75
Lamartine $\frac{1}{8}$ oz., .75	.50	1.35	4.75
*DICENTRA eximia $\frac{1}{16}$ oz., .20		.60	2.00
formosa $\frac{1}{16}$ oz., .25		.75	
GYPSOPHILLA paniculata, white15	.35
HELIANTHEMUM mutabile20	.40	
HEUCHERA sanguinea splendens $\frac{1}{16}$ oz., 1.75	.50		
*rosamundi $\frac{1}{16}$ oz., 1.75	.50		
IBERIS sempervirens15	.45	1.40
LATHYRUS splendens65	2.00
LAVENDULA vera pkt., .25	.50		
LILIUM amabile pkt., .20	.30	1.20	
auratum pkt., .50	1.00		
callosum pkt., .30			
canadense pkt., .25	.50		
centifolium $\frac{1}{16}$ oz., 1.00	.55		
Centifolium Hybrids (Princeps Creelman x centifolium)50		
concolor pkt., .25	.45		
concolor pulchellum pkt., .25	.45		
formosanum, Price's Early pkt., .20	.35	.85	3.00
formosanum, Wilson's Late pkt., .20	.35	.85	3.00
henryi			
humboldt magnificum pkt., .25	.45	1.40	
longiflorum praecox, White Queen $\frac{1}{8}$ oz., 2.25	.60	1.00	
pumilum (tenuifolium)25	.40	
regale15	.30	1.00
regale, high crown type pkt., .20	.30	.50	1.75
sargentiae			
Shelburne Hybrid (regale x sargentiae) pkt., .30	.50	1.50	
Sulphur-Gale (sulphureum x regale) pkt., .30	.50	1.50	
superbum20	.50	
umbellatum pkt., .25	.45		
LUPINUS polyphyllus, Blue15	.35	1.00
Crimson15	.40	1.25
Lavender15	.40	1.25
Rose and White (moerheimi)50	1.50
Skyblue20	.40	1.25
Yellow15	.35	1.00
White15	.35	1.00
Russell Hybrids20	.40	1.25
MYOSOTIS alpestris compacta, indigo blue50	1.50	4.50

	Tr. pkt.	$\frac{1}{4}$ oz.	oz.
PAPAVER orientale , stiff stemmed bracteata type	pkt., .25		
Beauty of Livermore	pkt., .25	.40	
Taplow's Scarlet30	.85 3.00
PLATYCODON grandiflorum , early large flowered25	.65
Blue25	.65
Mixed (Blue and White)25	.65
PRIMULA Coerulea	$\frac{1}{16}$ oz., 1.00	.50	
Giant Munstead	$\frac{1}{8}$ oz., 1.75	.60	3.00
Gold Lace	$\frac{1}{8}$ oz., 1.50	.50	
PYRETHRUM roseum , James Kelway35	1.00
Robinson's Dark Crimson50	1.50
ROMNEYA coulteri65 2.00
THERMOPSIS caroliniana15 .45
THALICTRUM dipterocarpum20	.50
TROLLIUS Golden Sun	$\frac{1}{8}$ oz., 1.50	.50	
Orange Globe	$\frac{1}{8}$ oz., 1.50	.50	
WALLFLOWER , a hardy strain, plants wintering in Southern New England25	

PEAT — HUMUS

A good grade of Peat-Humus consisting of a natural combination of Reed, Sedge and Wood Peats (acidity 5.0) can be supplied from March to November.

2 bu. bags—

1-5	per bag	1.25
5-25	per bag	1.10
25-100	per bag	1.00

BOOKS

CULTIVATED CONIFERS IN NORTH AMERICA

By DR. L. H. BAILEY

404 pages, 48 full page photos, 114 line drawings. Approximately 1000 conifers (species and varieties together) propagation, care, diseases, protection \$7.50

SEEDING and PLANTING IN THE PRACTICE OF FORESTRY

By I. W. TOUMEY and C. F. KORSTEIM

507 pages, 2nd edition. The best book on the subject . . . \$5.15

STANDARDIZED PLANT NAMES

New second edition. Reference book to 90,000 Common and Scientific names \$10.50

MANUAL of CULTIVATED TREES and SHRUBS

By ALFRED REHDER

The best reference book available, covering in detail every hardy tree and shrub in cultivation. 996 pages \$10.50

Book prices are postpaid in U. S. A. Terms net cash with order

SEND ORDERS TO

F. W. SCHUMACHER

579 Centre St.

Jamaica Plain 30, Mass.

P. O. Box 131
